



# C-59 RUBBING COMPOUND

DATE PREPARED: 26-Nov-2014

DATE REVISED: NA

## MATERIAL SAFETY DATA SHEET

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

<b>PRODUCT NAME:</b> C-59 RUBBING COMPOUND	<b>DISTRIBUTED BY:</b> Auto Refinish Distributors, Inc.
<b>SYNONYMS:</b> NA	<b>ADDRESS:</b> PO Box 38484 Houston, TX 77238 USA
<b>PRODUCT CODES:</b> 5951 - 32 FL OZ	<b>TELEPHONE:</b> 972-484-9545 <b>FAX NUMBER:</b> 214-351-0116
5952 - 128 FL OZ	<b>24 HOUR EMERGENCY USA/CANADA:</b> <b>INFOTRAC</b> 1-800-535-5053
<b>PRODUCT USE:</b> Vehicle Rubbing Compound	<b>24 HOUR EMERGENCY INTERNATIONAL:</b> <b>INFOTRAC</b> 1-352-323-3500

### SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

*Components not listed are either non-hazardous or in concentrations of less than 1%*

<u>HAZARDOUS INGREDIENT:</u>	<u>CAS NO:</u>	<u>% WT:</u>
Petroleum hydrocarbon solvent	64742-47-8	10-15%
Solvent Naphtha Heavy Aliphatic	64742-96-7	5-10%

### SECTION 3: HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** Ingestion may be harmful

**ROUTE(S) OF ENTRY:** **INHALATION:** Yes **SKIN:** Yes **INGESTION:** Yes **EYES:** Yes

**POTENTIAL HEALTH EFFECTS:** **INHALATION:** Vapors - Irritant **SKIN:** Irritant **INGESTION:** Harmful **EYES:** Irritant

**ACUTE HEALTH HAZARDS:** Prolonged skin contact may cause slight irritation. Can cause eye irritation.  
Ingestion can cause gastrointestinal irritation and harm. Excessive inhalation may cause respiratory irritation.

**CHRONIC HEALTH HAZARDS:** Irritation, headache, nausea, vomiting, central nervous system depression.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** May aggravate pre-existing skin conditions.

**CARCINOGENICITY** OSHA: Not Listed ACGIH: Not Listed NTP: Not listed IARC: Not Listed OTHER:

### SECTION 4: FIRST AID MEASURES

**EYES:** Flush with water, especially under eyelids, for at least 15 minutes. Call physician.

**SKIN:** Wash with soap and water, see physician if irritation persists.

**INHALATION:** Remove to fresh air, give oxygen if needed.

**INGESTION:** Do not induce vomiting. Get medical attention immediately.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** None beyond listed above

### SECTION 5: FIRE-FIGHTING MEASURES

<b>FLAMMABLE LIMITS IN AIR</b>	<b>(% BY VOLUME)</b>	<b>UPPER:</b>	<b>LOWER:</b>		
<b>FLASH POINT:</b> >200F >100C	<b>METHOD USED:</b> TCC		<b>AUTOIGNITION TEMPERATURE:</b>	F	C
<b>NFPA HAZARD CLASSIFICATION:</b>	<b>TOXICITY:</b> 1	<b>FLAMMABILITY:</b> 1	<b>REACTIVITY:</b> 0	<b>OTHER:</b>	
<b>HMIS HAZARD CLASSIFICATION:</b>	<b>HEALTH:</b> 1	<b>FLAMMABILITY:</b> 1	<b>REACTIVITY:</b> 0	<b>PROTECTION:</b>	

**EXTINGUISHING MEDIA:** Foam, carbon dioxide, dry chemical

**SPECIAL FIRE FIGHTING PROCEDURES:** Cool fire exposed containers with water.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** See hazardous decompositions

**HAZARDOUS DECOMPOSITION PRODUCTS:**  
Carbon monoxide and other unidentified organic compounds may be released during combustion.

---

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

### ACCIDENTAL RELEASE MEASURES:

Contain spill. Remove with inert absorbent material. Wash spill area with water.

---

## SECTION 7: HANDLING AND STORAGE

---

### HANDLING AND STORAGE:

Store containers upright with lids (caps) tightly closed. Store between 40F(4C) - 100F(37.7C) Keep from freezing.

**OTHER PRECAUTIONS:** Keep out of the reach of children. Do not get in eyes or on skin.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

EXPOSURE LIMITS:	CAS NO:	OSHA PEL-TWA:	OSHA PEL STEL:	ACGIH TLV-TWA:
Petroleum hydrocarbon solvent	64742-47-8	500ppm		100ppm
Solvent Naphtha Heavy Aliphatic	64742-96-7			

**VENTILATION :** LOCAL EXHAUST: Adequate    **MECHANICAL:**    **OTHER:**

**RESPIRATORY PROTECTION:** Avoid exposure levels. When exceeded, use self contained breathing apparatus.

**EYE PROTECTION:** Approved Safety Glasses

**SKIN PROTECTION:** Rubber or Neoprene Gloves

**PROTECTIVE CLOTHING OR EQUIPMENT:** Eye wash fountain in work area is recommended.

**WORK HYGIENIC PRACTICES:** Observe good housekeeping practices.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

<b>APPEARANCE:</b>	Tan	<b>PHYSICAL STATE:</b>	Flowing cream
<b>ODOR:</b>	Characteristic	<b>pH AS SUPPLIED:</b>	7.94
<b>BOILING POINT:</b>	220 F 104 C	<b>SOLUBILITY IN WATER:</b>	90%
<b>MELTING POINT:</b>	F C	<b>EVAPORATION RATE:</b>	BASIS (Butyl Acetate=1): 1
<b>FREEZING POINT:</b>	F C	<b>VAPOR PRESSURE (mmHg):</b>	
<b>SPECIFIC GRAVITY (H<sub>2</sub>O = 1):</b>	1.22	<b>VAPOR DENSITY (AIR = 1):</b>	>1

---

## SECTION 10: STABILITY AND REACTIVITY

---

**STABILITY:** Stable    **CONDITIONS TO AVOID:** Open flame

**INCOMPATIBILITY (MATERIAL TO AVOID):** Strong acids or bases, oxidizing agents.

### HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

Carbon monoxide and other unidentified organic compounds may be released during combustion.

**HAZARDOUS POLYMERIZATION:** Will not occur                          **CONDITIONS TO AVOID (POLYMERIZATION):** NA

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION:	CAS NO:	LD50
Petroleum hydrocarbon solvent	64742-47-8	ORAL: Acute: >5000 mg/kg [Rat].
Solvent Naphtha Heavy Aliphatic	64742-96-7	ORAL: Acute: >2gm/kg [Rat].

---

## SECTION 12: ECOLOGICAL INFORMATION

---

**ECOLOGICAL INFORMATION:** ND

**MARINE POLLUTANT:** ND

---

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: Not Regulated

---

## SECTION 14: TRANSPORT INFORMATION

---

### U.S. DEPARTMENT OF TRANSPORTATION

*Flash point is above 140°F / 60°C*

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with the 49 CFR

### IATA - AIR TRANSPORTATION

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with IATA

### IMDG - WATER TRANSPORTATION

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with IMDG

OTHER AGENCIES: NA

---

## SECTION 15: REGULATORY INFORMATION

---

### U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances

EPA SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

302 EXTREMELY HAZARDOUS SUBSTANCES: None

304 CERCLA HAZARDOUS SUBSTANCES: None

311/312 HAZARD CLASS:

<u>HAZARDOUS INGREDIENT:</u>	<u>CAS NO:</u>	<u>% WT:</u>	<u>CLASS</u>
Petroleum hydrocarbon solvent	64742-47-8	10-15%	Chronic, Fire
Solvent Naphtha Heavy Aliphatic	64742-96-7	5-10%	Acute, Fire

313 TOXIC CHEMICALS: None

STATE REGULATIONS: None

### WHMIS (CANADA) HAZARD SYMBOL AND CLASSIFICATION

INTERNATIONAL REGULATIONS: Not Regulated

### INTERNATIONAL LISTS:

All chemical substances in this material are included on or exempted from listing on the following lists: Australia (AICS), Canada (DSL/NDL), Europe (EINECS/ELINCS), Korea (TCCL), Japan (METI), the Philippines (RA6969).

---

## SECTION 16: OTHER INFORMATION

---

PREPARED BY: Robert Blahnik 20-Nov-14

The information and recommendations contained herein are, to the best of Auto Refinish Distributors' knowledge and belief, accurate and reliable as of the date issued. You can contact Auto Refinish Distributors to insure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

• END OF DOCUMENT •